
The Cleaner Image

Safety Data Sheet

SDS

revised 28-FEB-2014

PIG-OUT

CHEMICAL PRODUCT/COMPANY IDENTIFICATION

Material Identification

Product Usage: Paint, ink and grease remover for use by professional carpet cleaners.

Company Identification

MANUFACTURER/DISTRIBUTOR

The Cleaner Image
1037 Lakeview Drive
Nashville, TN 37076

PHONE NUMBER

615-449-7998

HAZARDS IDENTIFICATION



Signal word: Warning

Flammable liquid and vapor.

Harmful if swallowed.

May be harmful in contact with skin.

Causes eye irritation.

May be harmful if inhaled.

May cause cancer.

H361: Suspected of damaging the unborn child

COMPOSITION/INFORMATION ON INGREDIENTS

Proprietary mixture containing in part:

CHEMICAL	CAS NUMBER	PERCENT
*METHYLENE CHLORIDE	75-09-2	<20
2-BUTOXYETHANOL	111-76-2	----
ISOPROPANOL	67-63-0	----

* Regulated as a Toxic Chemical under Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR part 372.

FIRST AID MEASURES

INHALATION: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.

SKIN CONTACT: In case of contact, immediately wash skin with soap and water. Wash contaminated clothing before reuse.

EYE CONTACT: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Call a physician.

INGESTION: If swallowed, do not induce vomiting. Immediately give 2 glasses of water. Never give anything by mouth to an unconscious person. Call a physician.

FIRE FIGHTING MEASURES

Flammable Properties

Flash point (isopropanol) 81 deg. F.

Flammable limits (STP): 2 - 12% at 200 deg F (isopropyl alcohol)

Extinguishing media: Water fog, alcohol foam, carbon dioxide, dry chemical, halogenated agents.

Special fire fighting protective equipment: Self-contained breathing apparatus with full face piece and protective clothing.

Unusual fire and explosion hazards: Flammable liquid. Heavy vapors can flow along surfaces to distant ignition sources and flash back. Possible toxic smoke, vapors, fallout and runoff water can result from fires depending on extent of combustion and presence of other combustible materials. Contaminated buildings, areas, and equipment must be properly decontaminated before reuse.

ACCIDENTAL RELEASE MEASURES

Wipe or mop up. Contaminated material is RCRA hazardous waste.

HANDLING AND STORAGE

STORAGE

Store in a cool dry place.

HANDLING

For use by professional carpet cleaners only. Rubber gloves and goggles must be worn. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Use with adequate ventilation or supply breathing apparatus with organic filters if necessary.

EXPOSURE CONTROLS/PERSONAL PROTECTION

Normal handling: Do not breathe vapor or mist. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling.

Exposure Guidelines

METHYLENE CHLORIDE

OSHA (PEL): 25 ppm (TWA), 125 ppm (STEL), 12.5 ppm (8-hour TWA - Action Level)
ACGIH (TLV): 50 ppm (TWA), A3 - suspected human carcinogen.

2-BUTOXYETHANOL

OSHA (PEL): 50 ppm skin
ACGIH (TLV): 20 ppm (TWA), A3 - Confirmed animal carcinogen with unknown relevance to humans

ISOPROPYL ALCOHOL

PEL (OSHA) : 400 ppm
TLV (ACGIH): 400 ppm TWA; 500 ppm STEL

PHYSICAL AND CHEMICAL PROPERTIES

Physical Data

Form : Liquid

STABILITY AND REACTIVITY

Hazardous Decomposition Product(s): None known.

Hazardous Reactions: None known.

Polymerization: Will not polymerize.

TOXICOLOGICAL INFORMATION

Mixture not tested but based on ingredients can irritate eyes and skin. If swallowed can cause gastrointestinal tract irritation. Target organs are liver, kidneys, lymphoid systems, blood and blood forming organs.

METHYLENE CHLORIDE:

Oral rat LD50: 1600 mg/kg; inhalation rat LC50: 52 gm/m³;

investigated as a tumorigen, mutagen, and reproductive effector.

Reproductive Toxicity: Methylene chloride has been linked to spontaneous abortions in humans.

Cancer Lists: OSHA, IARC 2B, NTP anticipated, ACGIH

2-BUTOXYETHANOL

Oral rat LD50: 470 mg/kg; Inhalation rat LC50: 450ppm/4H; Skin rabbit LD50: 220 mg/kg; investigated as a tumorigen, mutagen, reproductive effector
Reproductive Toxicity: Has shown teratogenic effects in laboratory animals.
Cancer Lists: ACGIH

ECOLOGICAL INFORMATION

Mixture not tested.

DISPOSAL CONSIDERATIONS

RCRA hazardous waste. Should be disposed of in a RCRA approved waste facility.

TRANSPORTATION INFORMATION

Shipping information:

DOT

Proper Shipping Name: FLAMMABLE LIQUID N.O.S.
I.D. No. (UN/NA) : UN1993

REGULATORY INFORMATION

U.S. Federal Regulations
TSCA Inventory Status: Reported/Included.

OTHER INFORMATION

Additional Information

NA = Not Applicable

NE = Not Established

= Indicates updated section

STATE RIGHT-TO-KNOW LAWS

No substances on the state hazardous substances list, for the states indicated below, are used in the manufacture of products on this Material Safety Data Sheet, with the exceptions indicated. While we do not specifically analyze these products, or the raw materials used in their manufacture, for substances on various state hazardous substances lists, to the best of our knowledge the products on this Material Safety Data Sheet contain no such substances except for those specifically listed below:

WARNING: SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER:
Methylene chloride.

WARNING: SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS
OR OTHER REPRODUCTIVE HARM: None known.

The information herein is given in good faith but no warranty, expressed or implied, is made. The Cleaner Image assumes no responsibility for personal injury or property damage that may arise from use of this material. Vendees or users assume all risks associated with the use of this material.

Responsibility for MSDS:

The Cleaner Image
1037 Lakeview Drive
Nashville, TN 37076